


71 y female, stroke with unknow time of symptom onset (19:00h),
21:35 (HURYC): NIHSS 22, ASPECTS 9, mismatch 80%, **left ICA occlusion**




71 y female, left ICA occlusion



1st angio: 23:45



1st pass: combined technique (8FGC + RED 72 + PRESET 4X20)

TICI 0



2nd pass: combined technique with double SR


8F GC + RED 72+ pRESET 6x50 + TREVO 6X37



“stent in a stent”


2nd pass

TICI 0




3rd pass: combined technique with double SR


8F GC + RED 72 + Nimbus 4,5x28 + TREVO 6X37




“stent in a stent”



Angio after deployment
TREVO 6 X 37mm






Angio after deployment
Nimbus 4,5 x 28 mm



3^{ER} pass

TICI 3 00:54





- TOTAL: 1H 12 min of thrombectomy procedure
- recanalization: 5 h 54 min after last time seen well

- Cerebase 8F 90 cm
- Neuron Select 6F 125 cm
- RED 72
- Prowler Select Plus 0.021"
- Asahi Chikai Black 0.014
- Preset 6X50
- Aperio Hybrid 6x50
- Nimbus 4,5 x 28

Day +1: NIHSS 7

Day +2: NIHSS 0

Day +6: NIHSS 0
diagnosis



D

